

Drag Slash (Model 94076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	5833G	Nerf bars, low CG (gray)
1607	Ball bearings (5x11x4mm) (8)	5625	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
728	Ball bearings (5x8x2.5mm) (2)	9418	Shock tower, rear
116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	9465	Side plates, wheelie bar (plastic) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	9462X	Side plates, wheelie bar, blue (aluminum) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	9462 9462G	Side plates, wheelie bar, charcoal gray (aluminum) (2) Side plates, wheelie bar, green (aluminum) (2)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	9462A	Side plates, wheelie bar, green (aluminum) (2)
	Body & Accessories	9462P	Side plates, wheelie bar, pink (aluminum) (2)
1926	Antenna caps, vinyl (2)/ antenna spool	9462R	Side plates, wheelie bar, red (aluminum) (2)
726A	Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)	9464	Wheelie bar mount (heavy duty)
9415	Body accessories, Chevrolet C10, black (includes grille (upper &	9460	Wheelie bar, black (assembled)/ wheelie bar mount
	lower), headlight housings (left & right), bumpers (front & rear),	9460X	Wheelie bar, black chrome (assembled)/ wheelie bar mount
	mounting retainers and hardware)	9461	Wheels, wheelie bar, black (26mm (2), 18mm (2))
9415X	Body accessories, Chevrolet C10, black chrome (includes grille		Differential Components
	(upper & lower), headlight housings (left & right), bumpers (front & rear), mounting retainers and hardware)	9480	Differential assembly (complete) (assembled with 500K oil) (fits
9415R	Body accessories, Chevrolet C10, chrome (includes grille (upper		Drag Slash)
	& lower), headlight housings (left & right), bumpers (front &	9482	Differential gasket/ x-rings (2)
	rear), mounting retainers and hardware)	9481	Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/
9415A	Body accessories, Chevrolet C10, satin black chrome (includes	6700	2.5x10mm BCS (4)
	grille (upper & lower), headlight housings (left & right), bumpers	6783	Gear set, center differential (output gears (2)/ spider gears (4)/ spider gear shaft (2))
2025	(front & rear), mounting retainers and hardware)	5169	Screws, 2.6x8mm countersunk machine (6)
3935 2035 A	Body clip (mounting clip), angled, 90-degrees (10)	1647	Silicone grease
3935A 3934	Body clip (mounting clip), angled, 90-degrees (black) (10) Body clips, heavy duty (12)		
3619	Body mounts, front & rear/ body mount posts, front & rear	5440	Driveline Components
3010	(adjustable)/ 2.5x18mm screw pins (4)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1815	Body washers (8)	9450	Driv eshaft assembly (1), left or right (fully assembled, ready to install)
6716	Body washers, foam, 2mm (4)/ 3mm (4)/ 4mm (4)	3752	screw pin (1) Stub axle carriers (2) (requires 5x11x4mm bearings)
9411A	Body, Chevrolet C10 (black) (includes wing & decals) (requires #9415	3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
	series body accessories to complete body)	00027	aluminum (blue-anodized)/ 5x11mm ball bearings (4)
9411X	Body, Chevrolet C10 (blue) (includes wing & decals) (requires #9415	3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
9411	series body accessories to complete body)		aluminum (green-anodized)/ 5x11mm ball bearings (4)
9411G	Body, Chevrolet C10 (clear, requires painting)/ window masks Body, Chevrolet C10 (green) (includes wing & decals) (requires	3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
01110	#9415 series body accessories to complete body)		aluminum (orange-anodized)/ 5x11mm ball bearings (4)
9411P	Body, Chevrolet C10 (purple) (includes wing & decals) (requires	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
	#9415 series body accessories to complete body)	3652X	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
9411R	Body , Chev rolet C10 (red) (includes wing & decals) (requires #9415	3032X	aluminum (red-anodized)/ 5x11mm ball bearings (4)
0444	series body accessories to complete body)	2754	Stub axle pins (4)
9411T	Body, Chevrolet C10 (white) (includes wing & decals) (requires #9415	6853X	Stub axles, rear, heavy duty (2)/pins (2)
9413	series body accessories to complete body) Decal sheet, Chev rolet C10		Front Suspension & Steering
9413X	Decal sheet, flames	3637	Axles (front) (2)
2514	Decal sheet, racing sponsors	2728	Ball bearings (5x8x2.5mm) (2)
9413R	Decal sheet, scallops	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	2530	Bulkhead (front) (black)
9414	Wing, Chevrolet C10/ support/ side plates (left & right)/ 3x10 BCS (4)	2530A	Bulkhead (front) (gray)
	Chassis & Attachments	2432	Caster blocks (left & right) (30-degree)
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools	6846	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools		(2)
9463	Axle, wheelie bar, charcoal gray (aluminum)	5347	Rod ends, Revo® (large) with hollow balls (12)
9419	Body bumper, foam	3646	Screws, 3x15mm flat-head machine (hex drive) (6)
3619	Body mounts, front & rear/ body mount posts, front & rear	3744	Servo saver w/adapters
	(adjustable)/ 2.5x18mm screw pins (4)	3639 3743A	Shock tower (front)
5624	Box, receiver (sealed)/ foam pad/silicone grease/ 3x8mm BCS (2)/	3/43A	Steering bellcranks, drag link (blue-anodized T6 aluminum)/ 5x8mm ball bearings (4) hardware (assembled) (requires #3744
	2.5x8mm CS (2)/ 3x6mm BCS (2)		servo saver w/adapters)
9420	Bumper, chassis, front (upper & lower)	3743G	Steering bellcranks, drag link (green-anodized 6061-T6
5836X	Bumper, rear/ bumper brace, rear (black)/ wheelie bar mount		aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
9466	Center support, wheelie bar (double spacer (2), single spacer (2))/ rear axle (plastic) (1)	3743T	Steering bellcranks, drag link (orange-anodized 6061-T6
5830	Chassis conversion kit, low CG (Slash)		aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
5832	Chassis, low CG (black)	3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)
5832A	Chassis, low CG (blue)	27/2V	5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized T6 aluminum)/
5832G	Chassis, low CG (gray)	3743X	5x8mm ball bearings (4) hardware (assembled) (requires #3744
5827	Hold down, battery / hold down retainer/ battery post/ foam spacer/		servo saver w/adapters)
	angled body clip	6845X	Steering bellcranks/ serv o sav er/ serv o saver spring/ serv o spring
5827X	Hold down, battery/ hold down retainer/ battery post/ foam		retainer/serv o horn, steering
	spacer/ angled body clip (allows for installation of taller, multi-	3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)
5831	cell batteries) Lower chassis, low CG (black)	3636A	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6
JUJI	Lower chassis, low CG (blue)	26266	aluminum (blue-anodized)/ 5x11mm ball bearings (4)
		3636G	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6
5831A	• • •	00000	aluminum (green-anodized)/ 5y44mm hall bearings (4)
5831A 5831G	Lower chassis, low CG (gray)		aluminum (green-anodized)/ 5x11mm ball bearings (4)
5831A 5831G 5823 5833	• • •	3636T	aluminum (green-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)

Page 2	Drag Slash: TQi Traxxas	Link Enabled 2.4GHz Radio &	TSM (Model 94076-4) Parts List
--------	-------------------------	-----------------------------	--------------------------------

Page 2	Drag Slash: TQi Traxxas Link Enabled 2.4GHz Rad	io & TSI	M (Model 94076-4) Parts List
3636P	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	9497X	LED lights, tail lights (red)/ power harness/ tail light housings
3636X	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	9497	(left & right) tailgate trim (black chrome)/ zip ties (3) LED lights, tail lights (red)/ power harness/ tail light housings
2754	aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axle pins (4)	9497R	(left & right)/ tailgate trim (black)/ zip ties (3) LED lights, tail lights (red)/ power harness/ tail light housings
2531A	Suspension arms, black, front, heavy duty (2)		(left & right)/ tailgate trim (chrome)/ zip ties (3)
2531L	Suspension arms, blue, front, heavy duty (2)	9497A	LED lights, tail lights (red)/ power harness/ tail light housings
2531G	Suspension arms, green, front, heavy duty (2)		(left & right)/ tailgate trim (satin black chrome)/ zip ties (3)
2531T 2531R	Suspension arms, orange, front, heavy duty (2) Suspension arms, red, front, heavy duty (2)		Motors & Electronics
2640	Suspension pins, 44mm (2) w/ e-clips	1726A	Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a	2260 3340	BEC assembly (complete)
	complete suspension pin set) (Bandit, Rustler®, Stampede®)	9491	Cooling fan, Velineon® VXL-3s ESC Gear adapter set, fixed (48-pitch)
2532 1935	Tie bar, fiberglass Turnbuckles, 36mm (2)	2072A	Gear set (for 2070, 2075 servos)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front)	2252	Gear set, metal (for 2250, 2255 servos)
	(assembled with rod ends and hollow balls) (1 left, 1 right)	3354R	Motor cover, endbell (Velineon® 3500)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)	3351R 9490	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) Plate, motor, blue (3.2mm thick) (aluminum)
	Hardware	9490X	Plate, motor, blue (4mm thick) (aluminum)/ 3x10mm CS with split
1926	Antenna caps, vinyl (2)/ antenna spool		and flat washer (2)
1726A	Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)	9490G	Plate, motor, green (4mm thick) (aluminum)/ 3x10mm CS with
3935	Body clip (mounting clip), angled, 90-degrees (10)	04004	split and flat washer (2)
3935A 3934	Body clip (mounting clip), angled, 90-degrees (black) (10) Body clips, heavy duty (12)	9490A	Plate, motor, orange (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)
1589	Double-sided adhesive tape (25mm x 25mm) (2)	9490P	Plate, motor, pink (4mm thick) (aluminum)/ 3x10mm CS with split
1633	E-clips/ C-rings		and flat washer (2)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)	9490R	Plate, motor, red (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)
2745	Nuts, 3mm ny lon locking (12)	3352R	Rebuild kit, Velineon® 3500 and 540XL (includes plastic endbell,
3647 1747	Nuts, 4mm flanged ny lon locking (steel, serrated) (8) Nuts, 4mm ny lon locking (10)		5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)		bushing)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	2254 2253	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
1747A 1985	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)		2250, 2255 servos)
5525	Rod ends (12)/ hollow balls (12)	2074	Serv o case/gaskets (for 2056 and 2075 waterproof serv os)
5347	Rod ends, Revo® (large) with hollow balls (12)	2075R 2075	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof
2742X	Rod ends, short (6)/ hollow balls (6)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),
3215 3965	Screws, 2.5x6mm cap-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6)		waterproof
2577	Screws, 3x10mm button-head machine (hex drive) (6) (use with #3744)	2255 2075X	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof
3159	Screws, 3x10mm cap-head machine (hex drive) (6)/ lock washers (6)/ hex wrench	3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control
4859 2578	Screws, 3x10mm flat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6)	20555	mounting plate (part #3725R))
2576	Screws, 3x12mm duttor-nead machine (flex drive) (6) Screws, 3x12mm countersunk machine (6) (hex drive)	3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (f wd/rev/brake)
2579	Screws, 3x15mm button-head machine (by (nox drive) (6)		
3646	Screws, 3x15mm flat-head machine (hex drive) (6)	20.401/	Radio System, Batteries & Chargers
2583	Screws, 3x18mm button-head machine (hex drive) (6)	2849X 2872X	4000mAh 11.1v 3-Cell 25C LiPo Battery 5000mAh 11.1v 3-Cell 25C LiPo Battery
2580 2591	Screws, 3x20mm button-head machine (hex drive) (6) Screws, 3x23mm button-head machine (hex drive) (6)	2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
2582	Screws, 3x30mm button-head machine (hex drive) (6)	2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
2592	Screws, 3x40mm button-head machine (hex drive) (6)	2857X	6400mAh 11.1v 3-Cell 25C LiPo Battery
2575	Screws, 3x6mm button-head machine (hex drive) (6)	2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	2976 2938X	AC to DC converter, 40W Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries
2576 3931	Screws, 3x8mm button-head machine (hex drive) (6) Screws, 3x8mm flat-head machine (hex drive) (6)	2330X	to separate balance ports)
3937	Screws, 4x12mm button-head machine (hex drive) (6)	5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
2542	Screws, 4x12mm countersunk machine (hex driv e) (6)	5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
2546	Screws, 4x15mm countersunk machine (hex drive) (6)	2943 6548	Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,
2743	Set (grub) screws, 3mm hardened (12)	0040	6530 transmitters)
5529 3967	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) Shoulder screws 3x10 (6) (without threadlock)	2923X 2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)	2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2754	Stub axle pins (4)	2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2746	Washers, 3x6mm metal (12)	2950X 2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
	LED Lights	2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
9496X	LED light set, front, complete (blue) (includes light harness,	2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
9496G	power harness, zip ties (9)) LED light set, front, complete (green) (includes light harness,	2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH
9496R	power harness, zip ties (9)) LED light set, front, complete (red) (includes light harness, power harness, zip ties (9))	2992	battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
9496	LED light set, front, complete (white) (includes light harness, power harness, zip ties (9))	2994	Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))
	- · · · · ·	2260	BEC assembly (complete)

Page 3	Drag Slash: TQi Traxxas Link Enabled 2.4GHz Rad	io & TSI	M (Model 94076-4) Parts List
2975 2972	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification	5038X 1667	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) Silicone shock oil (30 wt), 60cc
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto	5038	Spinning carousel rack
2971	Battery Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery		Shocks (Pro-level Aluminum)
2970	Identification Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto	2664 2660	Big Bore shock cylinder (long) (1) Big Bore shocks (long) (hard-anodized & PTFE-coated T6
	Battery Identification	2000	aluminum) (assembled with TiN shafts) w/o springs (front) (2)
6512 2978	Cover plate, Traxxas Link™ Wireless Module Fuse, charger, 5A (2) (for #2974, 2975, 2977)	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2072A	Gear set (for 2070, 2075 servos)	2362 1942	Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
2252 2968X	Gear set, metal (for 2250, 2255 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for		(2)
2000	Traxxas® iD® batteries)	2742X 2667	Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad	1664 1765	Shock shafts, steel, chrome finish (long) (2) Silicone diaphragms (4)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)	2668	Spring retainers, upper & lower (2)/ spring pre-load spacers:
6520 6521	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) Sensor, temperature and voltage (long)		1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)		Shocks (Ultra Shocks)
2253 2251	Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	3765A	Body, Ultra Shock(s) (long) (gray) (2)
	2250, 2255 servos)	5462	Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
2074 2075R	Serv o case/gaskets (for 2056 and 2075 waterproof serv os) Servo, digital high-speed, metal gear (ball bearing), waterproof	2362	Rebuild kit, Ultra shocks (for 2 shocks)
2075	Serv o, digital high-torque (ball bearing), waterproof	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof	2742X	Rod ends, short (6)/ hollow balls (6)
2255	Servo, digital high-torque 400 brushless, metal gear (ball	3767 8361	Shock caps (2)/ shock bottoms (2) Shock caps (black) (4) (assembled with hollow balls)
2075X	bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof	3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)	3767G 3767T	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks) Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
6540 6529A	Telemetry trigger magnet, 5X2mm (1) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-	3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
	channel (transmitter only) (drag version)	3767X 1664T	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks) Shock shafts, hardened steel, titanium nitride coated (long) (2)
6511 3355R	Traxxas Link™ Wireless Module Velineon® VXL-3s Electronic Speed Control, waterproof (brushless)	1664	Shock shafts, steel, chrome finish (long) (2)
	(fwd/rev/brake)	3642X 1765	Shoulder screws, Ultra Shocks (3x12 hex drive) (6) Silicone diaphragms (4)
94076-4	Ready-To-Race Model Drag Slash: 1/10 Scale 2WD Drag Racing Truck with TQi Traxxas	3769 3768	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole
94070-4	Link [™] Enabled 2.4GHz Radio System & Traxxas Stability		(2))
	Management (TSM)®	2458 2458P	Springs, front (black) (2) Springs, front (pink) (2)
5116	Rear \$IISDENSION Ball bearings, blue rubber sealed (5x11x4mm) (2)	5857P	Springs, front (pink) (progressive rate) (2)
9450	Driv eshaft assembly (1), left or right (fully assembled, ready to instally screw pin (1)	6863 6864	Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) (also used on Drag Slash rear shocks)
9418 3752	Shock tower, rear Stub axle carriers (2) (requires 5x11x4mm bearings)	6862	Springs, front (progressive, -10% rate, green) (2)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	6861 2458A	Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (2)
3652G	aluminum (blue-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	5857	Springs, front (white) (progressive rate) (2)
	aluminum (green-anodized)/ 5x11mm ball bearings (4)	6857 3760	Springs, front (white) (progressive rate) (2) Ultra Shocks (black) (long) (complete w/ spring pre-load spacers
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)		& springs) (front) (2)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	3760A	Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)	9494	Slipper Clutch Components Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits
6853X	Stub axles, rear, heavy duty (2)/pins (2)		Bandit, Rustler®, Stampede®, Slash 2WD)
2750A 2750X	Suspension arms, black, rear, heavy duty (2) Suspension arms, blue, rear, heavy duty (2)	5552X	Rebuild kit, slipper clutch (steel disc/friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2750G	Suspension arms, green, rear, heavy duty (2)	2554	Screws, 3x6mm cap-head machine (hex drive) (6)
2750T 2750L	Suspension arms, orange, rear, heavy duty (2) Suspension arms, red, rear, heavy duty (2)	5556	Slipper pressure plate & hub (aluminum alloy)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a	9491	Spur Gears & Pinion Gears Gear adapter set, fixed (48-pitch)
2443	complete suspension pin set) (Bandit, Rustler®, Stampede®) Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)	9491X 2416	Gear adapter, fixed (32-pitch) Gear, 16-T pinion (48-pitch)/ set screw
	Shock Oil	1918	Gear, 18-T pinion (48-pitch) / set screw
5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)	2419 2422	Gear, 19-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-pitch) / set screw
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)	2423	Gear, 23-T pinion (48-pitch) / set screw
5033 5034	Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	2426 2429	Gear, 26-T pinion (48-pitch)/set screw
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)	2429 2431	Gear, 29-T pinion (48-pitch)/ set screw Gear, 31-T pinion (48-pitch) / set screw
5036 5037	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)	4725	Gear, pinion (25-tooth) (48-pitch) / set screw
5037 5029	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil)	4728	Gear, pinion (28-tooth) (48-pitch)/ set screw

Page 4	Drag Olasiii Tel Traxxas Ellik Ellabica 2:40112 Rau	a 131	/I (Model 94076-4) Parts List
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)	9475	Tires & wheels, assembled, glued (Weld gloss black wheels, tires, foam inserts) (rear) (2)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)	9474A	Tires & wheels, assembled, glued (Weld satin black chrome wheels, tires, foam inserts) (front) (2)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)	9475A	Tires & wheels, assembled, glued (Weld satin black chrome wheels, tires, foam inserts) (rear) (2)
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)	9470 9471	Tires, front (2)/ foam inserts (2) Tires, rear (2)
	Steering Components	1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
2728	Ball bearings (5x8x2.5mm) (2)	1654X	Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle
6846	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)	3654	pins(4) Wheel hubs, hex (tall offset, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2)
1985 2742	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends, long (6)/ hollow ball connectors (6)	5853X	Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts,
5347	Rod ends, Rev o® (large) with hollow balls (12)		splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm
3744	Servo saver w/adapters	5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
3967 3743	Shoulder screws 3x10 (6) (without threadlock)	5480X	Wheel wrench, splined, 17mm
3743 3743A	Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized T6 aluminum)/	9472X 9473X	Wheels, Weld black chrome (front) (2) Wheels, Weld black chrome (rear) (2)
	5x8mm ball bearings (4) hardware (assembled) (requires #3744	9472R	Wheels, Weld chrome (front) (2)
3743G	servo saver w/adapters)	9473R	Wheels, Weld chrome with black (rear) (2)
3/43G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	9472	Wheels, Weld gloss black (front) (2)
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6	9473 9472A	Wheels, Weld gloss black (rear) (2) Wheels, Weld satin black chrome (front) (2)
0=405	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	9473A	Wheels, Weld satin black chrome (rear) (2)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)		Transmission Components
3743X	Steering bellcranks, drag link (red-anodized T6 aluminum)/	4607	Ball bearings (5x11x4mm) (8)
	5x8mm ball bearings (4) hardware (assembled) (requires #3744	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
6845X	servo saver w/adapters) Steering bellcranks/ servo saver/ servo saver spring/ servo spring	9489	Cov er, gear
004070	retainer/serv o horn, steering	3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
1935	Turnbuckles, 36mm (2)	9480	Differential assembly (complete) (assembled with 500K oil) (fits Drag Slash)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)	9482	Differential gasket/ x-rings (2)
2746	Washers, 3x6mm metal (12)	9481	Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/
	Suspension Linkage	6783	2.5x10mm BCS (4) Gear set, center differential (output gears (2)/ spider gears (4)/ spider
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)	0700	gear shaft (2))
5347	Rod ends, Revo® (large) with hollow balls (12)	9493	Gearbox halves, left & right/ differential cover (charcoal gray)
3744	Servo saver w/adapters	5148 9492	Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel)
2637	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front suspension arm to caster block)	9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits
2640	Suspension pins, 44mm (2) w/ e-clips		Bandit, Rustler®, Stampede®, Slash 2WD)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a	9483 9490	Output gears, differential (2) Plate, motor, blue (3.2mm thick) (aluminum)
2443	complete suspension pin set) (Bandit, Rustler®, Stampede®) Turnbuckles, camber link, 36mm (56mm center to center) (rear)	9490X	Plate, motor, blue (4.21mm thick) (aluminum)/ 3x10mm CS with split
2110	(assembled with rod ends and hollow balls) (1 left, 1 right)		and flat washer (2)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front)	9490G	Plate, motor, green (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)
2445	(assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)	9490A	Plate, motor, orange (4mm thick) (aluminum)/ 3x10mm CS with split and flat washer (2)
	Team Traxxas Items	9490P	Plate, motor, pink (4mm thick) (aluminum)/ 3x10mm CS with split
2514	Decal sheet, racing sponsors	9490R	and flat washer (2) Plate, motor, red (4mm thick) (aluminum)/ 3x10mm CS with split
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)	3430IX	and flat washer (2)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	9495	Pro Series Magnum 272R™ Transmission, complete (assembled)
9909	Traxxas® racing banner, red & black (3x7 feet) Tires & Wheels	5552X	(fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	2554	4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X,	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3647	#6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8)	1647	Silicone grease
3047 1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	5556 9484	Slipper pressure plate & hub (aluminum alloy)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	3404	Sun gears (2)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	0.4223	Traxxas Tools
1747P 1985	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	3433X 3433	Body reamer (aluminum handle) Body reamer (plastic handle)
1647	Silicone grease	3436	Cap, body reamer
2754	Stub axle pins (4)	3432	Scissors, curved tip
9469	Tire inserts, molded (2) (for #9471 rear tires)	3431	Scissors, straight tip
9474X	Tires & wheels, assembled, glued (Weld black chrome wheels, tires, foam inserts) (front) (2)	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
9475X	Tires & wheels, assembled, glued (Weld black chrome wheels, tires, foam inserts) (rear) (2)		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
9474R	Tires & wheels, assembled, glued (Weld chrome wheels, tires, foam inserts) (front) (2)	8721 8720	Speed bit handle, medium (one piece) Speed bit handle, premium, large (rubber overmold)
9475R	Tires & wheels, assembled, glued (Weld chrome with black	8722	Speed bit handle, premium, medium (rubber overmold)
9474	wheels, tires, foam inserts) (rear) (2) Tires & wheels, assembled, glued (Weld gloss black wheels, tires, foam inserts) (front) (2)		

Page 5 Drag Slash: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 94076-4) Parts List

_	_
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/driver handle
	Turnbuckles & Threaded Rods
EESED	Ped ands heavy duty (lete@/Slever) (8)

5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
5347	Rod ends, Revo® (large) with hollow balls (12)
2443	Turnbuckles, camber link, 36mm (56mm center to center) (rear)
	(assembled with rod ends and hollow balls) (1 left, 1 right)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front)
	(assembled with rod ends and hollow balls) (1 left, 1 right)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM